


Cetelem Presto


- [About Cetelem Presto](#)
 - [General information about Cetelem Presto](#)
 - [Process flow chart](#)
- [Paygate interface](#)
 - [Definitions](#)
 - [Data formats](#)
 - [Abbreviations](#)
 - [Payment with Cetelem Presto via form interface](#)
 - [Credit with reference](#)

About Cetelem Presto

General information about Cetelem Presto

Logo	
Info	<p>Presto is an online credit solution, facilitated by Cetelem as part of BNPP Personal Finance. With this means of payment, merchants provide the financing capability for major purchases, to their customers, who can further pay by installments, ranging between 4-48 installments and order amount ranging between €150 to €16,000.</p> <p>Consumers can purchase directly online on the merchant online stores supporting Cetelem Presto as payment method, proceeding the necessary step including e-signature on the BNP PF credit application form. The approval can be instant for complete applications or within 48 hours for incomplete credit applications.</p>
Type	Payments by Invoice and Installments

Process flow chart



Cetelem Presto process flow

Paygate interface

Definitions

Data formats

Format	Description
a	alphabetical
as	alphabetical with special characters

n	numeric
an	alphanumeric
ans	alphanumeric with special characters
ns	numeric with special characters
bool	boolean expression (true or false)
3	fixed length with 3 digits/characters
..3	variable length with maximum 3 digits/characters
enum	enumeration of allowed values
dtm	ISODateTime (YYYY-MM-DDThh:mm:ss)

Abbreviations

Abbreviation	Description	Comment
CND	condition	
M	mandatory	If a parameter is mandatory, then it must be present
O	optional	If a parameter is optional, then it can be present, but it is not required
C	conditional	If a parameter is conditional, then there is a conditional rule which specifies whether it is mandatory or optional

Notice: Please note that the names of parameters can be returned in upper or lower case.

Payment with Cetelem Presto via form interface

To make a payment with Cetelem Presto, please use the following URL:

<https://www.computop-paygate.com/CetelemPresto.aspx>

Notice: Please keep in mind that a session expires within 60 minutes. An iFrame integration is not recommended.

Notice: For security reasons, Computop Paygate rejects all payment requests with formatting errors. Therefore, please use the correct data type for each parameter.

The following table describes the [encrypted payment request parameters](#):

Key	Format	CND	Description
MerchantID	ans..30	M	MerchantID, assigned by Computop. Additionally this parameter has to be passed in plain language too.
TransID	ans..64	M	TransactionID provided by you which should be unique for each payment
RefNr	an..13	C	Supplementary transaction identifier. Only the following characters are allowed: <ul style="list-style-type: none"> Alphabetical letters [A-Za-z] (from A to Z lower or upper case) Numbers [0-9] (from 0 to 9) Notice: If RefNr is not present, TransID will be used instead. Therefore in such case TransID should meet format and length of RefNr.
Amount	n..10	M	Amount in the smallest currency unit (e.g. EUR Cent). Please contact the Computop Helpdesk , if you want to capture amounts <100 (smallest currency unit).
Currency	a3	M	Currency, three digits DIN / ISO 4217. Only EUR permissible. Please find an overview here: A1 Currency table

MAC	an64	M	<p>Hash Message Authentication Code (HMAC) with SHA-256 algorithm. Details can be found here:</p> <ul style="list-style-type: none"> • HMAC Authentication (Request) • HMAC Authentication (Notify) 																																																																																																
URLSuccess	ans..256	M	<p>Complete URL which calls up Paygate if payment has been successful. The URL may be called up only via port 443. This URL may not contain parameters: In order to exchange values between Paygate and shop, please use the parameter UserData.</p> <p>Common notes:</p> <ul style="list-style-type: none"> • We recommend to use parameter "response=encrypt" to get an encrypted response by Paygate • However, fraudster may just copy the encrypted DATA-element which are sent to URLFailure and send the DATA to URLSuccess. Therefore ensure to check the "code"-value which indicates success/failure of the action. Only a result of "code=00000000" should be considered successful. 																																																																																																
URLFailure	ans..256	M	<p>Complete URL which calls up Paygate if payment has been unsuccessful. The URL may be called up only via port 443. This URL may not contain parameters: In order to exchange values between Paygate and shop, please use the parameter UserData.</p> <p>Common notes:</p> <ul style="list-style-type: none"> • We recommend to use parameter "response=encrypt" to get an encrypted response by Paygate • However, fraudster may just copy the encrypted DATA-element which are sent to URLFailure and send the DATA to URLSuccess/URLNotify. Therefore ensure to check the "code"-value which indicates success/failure of the action. Only a result of "code=00000000" should be considered successful. 																																																																																																
Response	a7	O	Status response sent by Paygate to URLSuccess and URLFailure , should be encrypted. For this purpose, transmit Response=encrypt parameter.																																																																																																
URLNotify	ans..256	M	<p>Complete URL which Paygate calls up in order to notify the shop about the payment result. The URL may be called up only via port 443. It may not contain parameters: Use the UserData parameter instead.</p> <p>Common notes:</p> <ul style="list-style-type: none"> • We recommend to use parameter "response=encrypt" to get an encrypted response by Paygate • However, fraudster may just copy the encrypted DATA-element which are sent to URLFailure and send the DATA to URLSuccess/URLNotify. Therefore ensure to check the "code"-value which indicates success/failure of the action. Only a result of "code=00000000" should be considered successful. 																																																																																																
Language	a2	O	Language of Cetelem page. Possible values: FR																																																																																																
Goods Category	n3	M	<p>Category of the good(s). Possible values are shown in the table below.</p> <p>Note: Paygate does not make any validation and act as a forwarder for this parameter.</p> <table border="1"> <thead> <tr> <th>Code</th><th>Wording</th><th>Code</th><th>Wording</th></tr> </thead> <tbody> <tr><td>320</td><td>Household appliances</td><td>610</td><td>TV-Hi-Fi, Digital</td></tr> <tr><td>322</td><td>Refrigerator - freezer</td><td>611</td><td>Video recorder - Video</td></tr> <tr><td>323</td><td>Dishwasher</td><td>613</td><td>HIFI</td></tr> <tr><td>324</td><td>Washing machine</td><td>615</td><td>colour TV</td></tr> <tr><td>325</td><td>Group cleaning</td><td>616</td><td>Information technology</td></tr> <tr><td>326</td><td>Refrigerator</td><td>619</td><td>Group purchases TV- hifi</td></tr> <tr><td>327</td><td>Freezer</td><td>620</td><td>Photo - Cinema - Optics</td></tr> <tr><td>328</td><td>Cooker/Cooker hob</td><td>621</td><td>Telephony</td></tr> <tr><td>329</td><td>Dryer</td><td>622</td><td>Home Cinema</td></tr> <tr><td>330</td><td>Furniture</td><td>623</td><td>LCD/Plasma Display</td></tr> <tr><td>331</td><td>Living room</td><td>624</td><td>Camcorder</td></tr> <tr><td>332</td><td>Dining room</td><td>625</td><td>Computer</td></tr> <tr><td>333</td><td>bedroom</td><td>626</td><td>Printer/Scanner</td></tr> <tr><td>334</td><td>Sofa</td><td>631</td><td>holiday trips</td></tr> <tr><td>335</td><td>Group furniture</td><td>640</td><td>Clothing</td></tr> <tr><td>336</td><td>Armchair</td><td>650</td><td>Books</td></tr> <tr><td>337</td><td>Library/Cabinet</td><td>660</td><td>Leisure activities</td></tr> <tr><td>338</td><td>Bedding</td><td>663</td><td>DIY - gardening</td></tr> <tr><td>339</td><td>Bedroom</td><td>730</td><td>Jewellery store</td></tr> <tr><td>340</td><td>Furniture textile</td><td>733</td><td>Radiator</td></tr> <tr><td>341</td><td>Office furniture</td><td>855</td><td>Piano</td></tr> <tr><td>342</td><td>Bathroom furniture</td><td>857</td><td>Organ</td></tr> <tr><td>343</td><td>Kitchen furniture</td><td>858</td><td>Various music</td></tr> </tbody> </table>	Code	Wording	Code	Wording	320	Household appliances	610	TV-Hi-Fi, Digital	322	Refrigerator - freezer	611	Video recorder - Video	323	Dishwasher	613	HIFI	324	Washing machine	615	colour TV	325	Group cleaning	616	Information technology	326	Refrigerator	619	Group purchases TV- hifi	327	Freezer	620	Photo - Cinema - Optics	328	Cooker/Cooker hob	621	Telephony	329	Dryer	622	Home Cinema	330	Furniture	623	LCD/Plasma Display	331	Living room	624	Camcorder	332	Dining room	625	Computer	333	bedroom	626	Printer/Scanner	334	Sofa	631	holiday trips	335	Group furniture	640	Clothing	336	Armchair	650	Books	337	Library/Cabinet	660	Leisure activities	338	Bedding	663	DIY - gardening	339	Bedroom	730	Jewellery store	340	Furniture textile	733	Radiator	341	Office furniture	855	Piano	342	Bathroom furniture	857	Organ	343	Kitchen furniture	858	Various music
Code	Wording	Code	Wording																																																																																																
320	Household appliances	610	TV-Hi-Fi, Digital																																																																																																
322	Refrigerator - freezer	611	Video recorder - Video																																																																																																
323	Dishwasher	613	HIFI																																																																																																
324	Washing machine	615	colour TV																																																																																																
325	Group cleaning	616	Information technology																																																																																																
326	Refrigerator	619	Group purchases TV- hifi																																																																																																
327	Freezer	620	Photo - Cinema - Optics																																																																																																
328	Cooker/Cooker hob	621	Telephony																																																																																																
329	Dryer	622	Home Cinema																																																																																																
330	Furniture	623	LCD/Plasma Display																																																																																																
331	Living room	624	Camcorder																																																																																																
332	Dining room	625	Computer																																																																																																
333	bedroom	626	Printer/Scanner																																																																																																
334	Sofa	631	holiday trips																																																																																																
335	Group furniture	640	Clothing																																																																																																
336	Armchair	650	Books																																																																																																
337	Library/Cabinet	660	Leisure activities																																																																																																
338	Bedding	663	DIY - gardening																																																																																																
339	Bedroom	730	Jewellery store																																																																																																
340	Furniture textile	733	Radiator																																																																																																
341	Office furniture	855	Piano																																																																																																
342	Bathroom furniture	857	Organ																																																																																																
343	Kitchen furniture	858	Various music																																																																																																

InstallmentAmount	n..10	O	Monthly rate
InstallmentNumber	n..2	O	Number of month of the payment by installments (1-48)
Customer information			
Salutation	ans..10	O	Salutation. Values accepted: Mr/MR, Mrs/MME, Miss/MLE
FirstName	ans..23	M	First name of the customer
LastName	ans..23	M	Last name of the customer
MaidenName	ans..30	O	Maiden name of the customer
DateOfBirth	ns10	O	Date of birth within format YYYY-MM-DD
NationalIdentificationNr	ans..20	O	National identification
Phone	a8..15	O	Phone number (fixed network)
MobileNr	a8..15	O	Phone number (mobile)
Email	ans..49	M	E-Mail-Address of the customer
AddressStreet	ans..32	M	Street name and street number
AddressStreet2	ans..32	O	Address addition
AddressZIP	n5	M	Postal code
AddressCity	ans..30	M	Town/city
WorkPhone	ans..10	O	Phone number (business)
Plain	ans..50	O	A single value to be set by the merchant to return some information unencrypted in response/notify, e.g. the MID. "Plain"-parameter is part of encrypted "Data" in Computop Paygate and therefore protected against manipulation.
Custom	ans..1024	O	"Custom"-parameter is added to the request data before encryption and is part of encrypted "Data" in Computop Paygate request. By this they are protected against manipulation by a consumer. The Custom-value is added to the Computop Paygate response in plain text and the " " is replaced by a "&". By this you can put a single value into Custom-parameter and get multiple key-value-pairs back in response for your own purpose. Please find a samples here: Custom

Key	Format	CND	Description	Beschreibung
TransID	ans..64	M	TransactionID provided by you which should be unique for each payment	Ihre eigene TransaktionsID, die für jede Zahlung eindeutig sein muss

Key	Format	CND	Description	Beschreibung
RefNr	an..13	C	Supplementary transaction identifier. Only the following characters are allowed: <ul style="list-style-type: none"> Alphabetical letters [A-Za-z] (from A to Z lower or upper case) Numbers [0-9] (from 0 to 9) Notice: If RefNr is not present, TransID will be used instead. Therefore in such case TransID should meet format and length of RefNr.	Ergänzende Transaktionskennung. Es sind nur folgende Zeichen erlaubt: <ul style="list-style-type: none"> Alphabetische Buchstaben [A-Za-z] (von A bis Z Klein- oder Großbuchstaben) Zahlen [0-9] (von 0 bis 9) Hinweis: Wenn RefNr nicht vorhanden ist, wird stattdessen TransID verwendet. Daher sollte die TransID in diesem Fall Format und Länge der RefNr entsprechen.

Key	Format	CND	Description	Beschreibung
Amount	n..10	M	Amount in the smallest currency unit (e.g. EUR Cent). Please contact the Computop Helpdesk , if you want to capture amounts <100 (smallest currency unit).	Betrag in der kleinsten Währungseinheit (z.B. EUR Cent). Bitte wenden Sie sich an den Computop Helpdesk , wenn Sie Beträge < 100 (kleinste Währungseinheit) buchen möchten.

Key	Format	CND	Description	Beschreibung
Currency	a3	M	Currency, three digits DIN / ISO 4217. Only EUR permissible. Please find an overview here: A1 Currency table	Währung, drei Zeichen DIN / ISO 4217. Nur EUR zulässig. Hier eine Übersicht: A1 Währungstabelle

Key	Format	CND	Description	Beschreibung
MAC	an64	M	Hash Message Authentication Code (HMAC) with SHA-256 algorithm. Details can be found here: <ul style="list-style-type: none"> HMAC Authentication (Request) HMAC Authentication (Notify) 	Hash Message Authentication Code (HMAC) mit SHA-256-Algorithmus. Details finden Sie hier: <ul style="list-style-type: none"> HMAC-Authentisierung (Anfrage) HMAC-Authentisierung (Notify)

Key	Format	CND	Description	Beschreibung
URLSuccess	ans..256	M	Complete URL which calls up Paygate if payment has been successful. The URL may be called up only via port 443. This URL may not contain parameters: In order to exchange values between Paygate and shop, please use the parameter UserData . <p>i Common notes:</p> <ul style="list-style-type: none"> We recommend to use parameter "response=encrypt" to get an encrypted response by Paygate However, fraudster may just copy the encrypted DATA-element which are sent to URLFailure and send the DATA to URLSuccess. Therefore ensure to check the "code"-value which indicates success/failure of the action. Only a result of "code=00000000" should be considered successful. 	Vollständige URL, die das Paygate aufruft, wenn die Zahlung erfolgreich war. Die URL darf nur über Port 443 aufgerufen werden. Diese URL darf keine Parameter enthalten: Um Parameter durchzureichen nutzen Sie stattdessen den Parameter UserData . <p>i Allgemeine Hinweise:</p> <ul style="list-style-type: none"> Wir empfehlen, den Parameter "response=encrypt" zu verwenden, um eine verschlüsselte Antwort von Paygate zu erhalten Betrüger könnten das verschlüsselte DATA-Element kopieren, welches an URLFailure gesendet wurde, und betrügerisch dasselbe DATA an URLSuccess senden. Überprüfen Sie daher unbedingt den "code"-Wert des DATA-Elements. Nur eine Antwort mit "code=00000000" sollte als erfolgreich angesehen werden.

Key	Format	CND	Description	Beschreibung
URLFailure	ans..256	M	Complete URL which calls up Paygate if payment has been unsuccessful. The URL may be called up only via port 443. This URL may not contain parameters: In order to exchange values between Paygate and shop, please use the parameter UserData . <p>i Common notes:</p> <ul style="list-style-type: none"> We recommend to use parameter "response=encrypt" to get an encrypted response by Paygate However, fraudster may just copy the encrypted DATA-element which are sent to URLFailure and send the DATA to URLSuccess/URLNotify. Therefore ensure to check the "code"-value which indicates success/failure of the action. Only a result of "code=00000000" should be considered successful. 	Vollständige URL, die das Paygate aufruft, wenn die Zahlung gescheitert ist. Die URL darf nur über Port 443 aufgerufen werden. Diese URL darf keine Parameter enthalten: Um Parameter durchzureichen nutzen Sie stattdessen den Parameter UserData . <p>i Allgemeine Hinweise:</p> <ul style="list-style-type: none"> Wir empfehlen, den Parameter "response=encrypt" zu verwenden, um eine verschlüsselte Antwort von Paygate zu erhalten Betrüger könnten das verschlüsselte DATA-Element kopieren, welches an URLFailure gesendet wurde, und betrügerisch dasselbe DATA an URLSuccess/URLNotify senden. Überprüfen Sie daher unbedingt den "code"-Wert des DATA-Elements. Nur eine Antwort mit "code=00000000" sollte als erfolgreich angesehen werden.

Key	Format	CND	Description	Beschreibung
Response	a7	O	Status response sent by Paygate to URLSuccess and URLFailure , should be encrypted. For this purpose, transmit Response=encrypt parameter.	Die Status-Rückmeldung, die das Paygate an URLSuccess und URLFailure sendet, sollte verschlüsselt werden. Dazu übergeben Sie den Parameter Response=encrypt .

Key	Format	CND	Description	Beschreibung
URLNotify	ans..256	M	Complete URL which Paygate calls up in order to notify the shop about the payment result. The URL may be called up only via port 443. It may not contain parameters: Use the UserData parameter instead. <p>i Common notes:</p> <ul style="list-style-type: none"> We recommend to use parameter "response=encrypt" to get an encrypted response by Paygate However, fraudster may just copy the encrypted DATA-element which are sent to URLFailure and send the DATA to URLSuccess/URLNotify. Therefore ensure to check the "code"-value which indicates success/failure of the action. Only a result of "code=00000000" should be considered successful. 	Vollständige URL, die das Paygate aufruft, um den Shop zu benachrichtigen. Die URL darf nur über Port 443 aufgerufen werden. Sie darf keine Parameter enthalten: Nutzen Sie stattdessen den Parameter UserData . <p>i Allgemeine Hinweise:</p> <ul style="list-style-type: none"> Wir empfehlen, den Parameter "response=encrypt" zu verwenden, um eine verschlüsselte Antwort von Paygate zu erhalten Betrüger könnten das verschlüsselte DATA-Element kopieren, welches an URLFailure gesendet wurde, und betrügerisch dasselbe DATA an URLSuccess/URLNotify senden. Überprüfen Sie daher unbedingt den "code"-Wert des DATA-Elements. Nur eine Antwort mit "code=00000000" sollte als erfolgreich angesehen werden.

Key	Format	CND	Description	Beschreibung
Language	a2	O	Language of Cetelem page. Possible values: FR	Sprache

Goods Category	n3	M	Category of the good(s). Possible values are shown in the table below.	Kategorie																																																																																																																																																
			Note: Paygate does not make any validation and act as a forwarder for this parameter.	Hinweis:																																																																																																																																																
			<table><tr><th>Code</th><th>Wording</th><th>Code</th><th>Wording</th></tr><tr><td>320</td><td>Household appliances</td><td>610</td><td>TV-Hi-Fi, Digital</td></tr><tr><td>322</td><td>Refrigerator - freezer</td><td>611</td><td>Video recorder - Video</td></tr><tr><td>323</td><td>Dishwasher</td><td>613</td><td>HIFI</td></tr><tr><td>324</td><td>Washing machine</td><td>615</td><td>colour TV</td></tr><tr><td>325</td><td>Group cleaning</td><td>616</td><td>Information technology</td></tr><tr><td>326</td><td>Refrigerator</td><td>619</td><td>Group purchases TV- hifi</td></tr><tr><td>327</td><td>Freezer</td><td>620</td><td>Photo - Cinema - Optics</td></tr><tr><td>328</td><td>Cooker/Cooker hob</td><td>621</td><td>Telephony</td></tr><tr><td>329</td><td>Dryer</td><td>622</td><td>Home Cinema</td></tr><tr><td>330</td><td>Furniture</td><td>623</td><td>LCD/Plasma Display</td></tr><tr><td>331</td><td>Living room</td><td>624</td><td>Camcorder</td></tr><tr><td>332</td><td>Dining room</td><td>625</td><td>Computer</td></tr><tr><td>333</td><td>bedroom</td><td>626</td><td>Printer/Scanner</td></tr><tr><td>334</td><td>Sofa</td><td>631</td><td>holiday trips</td></tr><tr><td>335</td><td>Group furniture</td><td>640</td><td>Clothing</td></tr><tr><td>336</td><td>Armchair</td><td>650</td><td>Books</td></tr><tr><td>337</td><td>Library/Cabinet</td><td>660</td><td>Leisure activities</td></tr><tr><td>338</td><td>Bedding</td><td>663</td><td>DIY - gardening</td></tr><tr><td>339</td><td>Bedroom</td><td>730</td><td>Jewellery store</td></tr><tr><td>340</td><td>Furniture textile</td><td>733</td><td>Radiator</td></tr><tr><td>341</td><td>Office furniture</td><td>855</td><td>Piano</td></tr><tr><td>342</td><td>Bathroom furniture</td><td>857</td><td>Organ</td></tr><tr><td>343</td><td>Kitchen furniture</td><td>858</td><td>Various music</td></tr></table>	Code	Wording	Code	Wording	320	Household appliances	610	TV-Hi-Fi, Digital	322	Refrigerator - freezer	611	Video recorder - Video	323	Dishwasher	613	HIFI	324	Washing machine	615	colour TV	325	Group cleaning	616	Information technology	326	Refrigerator	619	Group purchases TV- hifi	327	Freezer	620	Photo - Cinema - Optics	328	Cooker/Cooker hob	621	Telephony	329	Dryer	622	Home Cinema	330	Furniture	623	LCD/Plasma Display	331	Living room	624	Camcorder	332	Dining room	625	Computer	333	bedroom	626	Printer/Scanner	334	Sofa	631	holiday trips	335	Group furniture	640	Clothing	336	Armchair	650	Books	337	Library/Cabinet	660	Leisure activities	338	Bedding	663	DIY - gardening	339	Bedroom	730	Jewellery store	340	Furniture textile	733	Radiator	341	Office furniture	855	Piano	342	Bathroom furniture	857	Organ	343	Kitchen furniture	858	Various music	<table><tr><th>Code</th><th>Wording</th></tr><tr><td>320</td><td>Household appliances</td></tr><tr><td>322</td><td>Refrigerator - freezer</td></tr><tr><td>323</td><td>Dishwasher</td></tr><tr><td>324</td><td>Washing machine</td></tr><tr><td>325</td><td>Group cleaning</td></tr><tr><td>326</td><td>Refrigerator</td></tr><tr><td>327</td><td>Freezer</td></tr><tr><td>328</td><td>Cooker/Cooker hob</td></tr><tr><td>329</td><td>Dryer</td></tr><tr><td>330</td><td>Furniture</td></tr><tr><td>331</td><td>Living room</td></tr><tr><td>332</td><td>Dining room</td></tr><tr><td>333</td><td>bedroom</td></tr><tr><td>334</td><td>Sofa</td></tr><tr><td>335</td><td>Group furniture</td></tr><tr><td>336</td><td>Armchair</td></tr><tr><td>337</td><td>Library/Cabinet</td></tr><tr><td>338</td><td>Bedding</td></tr><tr><td>339</td><td>Bedroom</td></tr><tr><td>340</td><td>Furniture textile</td></tr><tr><td>341</td><td>Office furniture</td></tr><tr><td>342</td><td>Bathroom furniture</td></tr><tr><td>343</td><td>Kitchen furniture</td></tr></table>	Code	Wording	320	Household appliances	322	Refrigerator - freezer	323	Dishwasher	324	Washing machine	325	Group cleaning	326	Refrigerator	327	Freezer	328	Cooker/Cooker hob	329	Dryer	330	Furniture	331	Living room	332	Dining room	333	bedroom	334	Sofa	335	Group furniture	336	Armchair	337	Library/Cabinet	338	Bedding	339	Bedroom	340	Furniture textile	341	Office furniture	342	Bathroom furniture	343	Kitchen furniture
			Code	Wording	Code	Wording																																																																																																																																														
			320	Household appliances	610	TV-Hi-Fi, Digital																																																																																																																																														
			322	Refrigerator - freezer	611	Video recorder - Video																																																																																																																																														
			323	Dishwasher	613	HIFI																																																																																																																																														
			324	Washing machine	615	colour TV																																																																																																																																														
			325	Group cleaning	616	Information technology																																																																																																																																														
			326	Refrigerator	619	Group purchases TV- hifi																																																																																																																																														
			327	Freezer	620	Photo - Cinema - Optics																																																																																																																																														
			328	Cooker/Cooker hob	621	Telephony																																																																																																																																														
			329	Dryer	622	Home Cinema																																																																																																																																														
			330	Furniture	623	LCD/Plasma Display																																																																																																																																														
			331	Living room	624	Camcorder																																																																																																																																														
			332	Dining room	625	Computer																																																																																																																																														
			333	bedroom	626	Printer/Scanner																																																																																																																																														
			334	Sofa	631	holiday trips																																																																																																																																														
			335	Group furniture	640	Clothing																																																																																																																																														
			336	Armchair	650	Books																																																																																																																																														
			337	Library/Cabinet	660	Leisure activities																																																																																																																																														
			338	Bedding	663	DIY - gardening																																																																																																																																														
			339	Bedroom	730	Jewellery store																																																																																																																																														
			340	Furniture textile	733	Radiator																																																																																																																																														
			341	Office furniture	855	Piano																																																																																																																																														
			342	Bathroom furniture	857	Organ																																																																																																																																														
343	Kitchen furniture	858	Various music																																																																																																																																																	
Code	Wording																																																																																																																																																			
320	Household appliances																																																																																																																																																			
322	Refrigerator - freezer																																																																																																																																																			
323	Dishwasher																																																																																																																																																			
324	Washing machine																																																																																																																																																			
325	Group cleaning																																																																																																																																																			
326	Refrigerator																																																																																																																																																			
327	Freezer																																																																																																																																																			
328	Cooker/Cooker hob																																																																																																																																																			
329	Dryer																																																																																																																																																			
330	Furniture																																																																																																																																																			
331	Living room																																																																																																																																																			
332	Dining room																																																																																																																																																			
333	bedroom																																																																																																																																																			
334	Sofa																																																																																																																																																			
335	Group furniture																																																																																																																																																			
336	Armchair																																																																																																																																																			
337	Library/Cabinet																																																																																																																																																			
338	Bedding																																																																																																																																																			
339	Bedroom																																																																																																																																																			
340	Furniture textile																																																																																																																																																			
341	Office furniture																																																																																																																																																			
342	Bathroom furniture																																																																																																																																																			
343	Kitchen furniture																																																																																																																																																			
InstallmentAmount	n..10	O	Monthly rate	Monatsrate																																																																																																																																																
InstallmentNumber	n..2	O	Number of month of the payment by installments (1-48)	Anzahl der																																																																																																																																																
			Customer information	Kunde																																																																																																																																																
Salutation	ans..10	O	Salutation. Values accepted: Mr/MR, Mrs/MME, Miss/MLE	Anrede																																																																																																																																																
FirstName	ans..23	M	First name of the customer	Vorname																																																																																																																																																
LastName	ans..23	M	Last name of the customer	Nachname																																																																																																																																																
MaidenName	ans..30	O	Maiden name of the customer	Mädchen																																																																																																																																																
DateOfBirth	ns10	O	Date of birth within format YYYY-MM-DD	Geburtsdatum																																																																																																																																																
NationalIdentificationNr	ans..20	O	National identification	Nationalnummer																																																																																																																																																
Phone	a8..15	O	Phone number (fixed network)	Telefonnummer																																																																																																																																																
MobileNr	a8..15	O	Phone number (mobile)	Telefonnummer																																																																																																																																																
Email	ans..49	M	E-Mail-Address of the customer	E-Mail-Adresse																																																																																																																																																
AddressStreet	ans..32	M	Street name and street number	Straßennummer																																																																																																																																																
AddressStreet2	ans..32	O	Address addition	Adresszusatz																																																																																																																																																
AddressZIP	n5	M	Postal code	Postleitzahl																																																																																																																																																
AddressCity	ans..30	M	Town/city	Ort																																																																																																																																																


WorkPhone	ans..10	O	Phone number (business)	Telefon
-----------	---------	---	-------------------------	---------


Key	Format	CND	Description	Beschreibung
Plain	ans..50	O	A single value to be set by the merchant to return some information unencrypted in response/notify, e.g. the MID. "Plain"-parameter is part of encrypted "Data" in Computop Paygate and therefore protected against manipulation.	Ein einzelner Wert, der von Ihnen gesetzt werden kann, um Informationen wieder unverschlüsselt in der Antwort bzw. im Notify zurückzugeben, z.B. die MID. Da der "Plain"-Parameter Teil des verschlüsselten "Data" im Computop Paygate ist, ist dieser vor Manipulationen geschützt.

Key	Format	CND	Description	Beschreibung
Custom	ans..1024	O	"Custom"-parameter is added to the request data before encryption and is part of encrypted "Data" in Computop Paygate request. By this they are protected against manipulation by a consumer. The Custom-value is added to the Computop Paygate response in plain text and the "I" is replaced by a "&". By this you can put a single value into Custom-parameter and get multiple key-value-pairs back in response for your own purpose. Please find a samples here: Custom	Der "Custom"-Parameter wird vor der Verschlüsselung an den Aufruf angehängt und ist Teil des verschlüsselten "Data" im Computop Paygate Aufruf. Dadurch ist der Wert gegen Manipulation geschützt. Der Custom-Wert wird dann in Klartext an die Computop Paygate-Antwort angehängt und dabei wird "I" durch "&" ersetzt. Dadurch können Sie einen Custom-Wert übergeben und bekommen mehrere Key-Value-Paare zu Ihrer eigenen Verwendung in der Antwort zurück. Hier finden Sie ein Beispiel: Custom

Parameters for payments with Celetem Presto

The following table gives the result parameters which Computop Paygate transmits to **URLSuccess** or **URLFailure** and **URLNotify**. If you have specified the **Response=encrypt** parameter, the following parameters are sent [Blowfish encrypted](#) to your system:

 pls. be prepared to receive additional parameters at any time and do not check the order of parameters

 the key (e.g. MerchantId, RefNr) should not be checked case-sensitive

Key	Format	CND	Description
mid	ans..30	M	MerchantID, assigned by Computop
PayID	an32	M	ID assigned by Paygate for the payment, e.g. for referencing in batch files as well as for capture or credit request.
XID	an32	M	ID for all single transactions (authorisation, capture, credit note) for one payment assigned by Paygate
TransID	ans..64	M	TransactionID provided by you which should be unique for each payment
RefNr	an..13	C	Supplementary transaction identifier. Only the following characters are allowed: <ul style="list-style-type: none"> • Alphabetical letters [A-Za-z] (from A to Z lower or upper case) • Numbers [0-9] (from 0 to 9) Notice: If RefNr is not present, TransID will be used instead. Therefore in such case TransID should meet format and length of RefNr.
Status	a..50	M	OK or AUTHORIZE_REQUEST (URLSuccess) as well as FAILED (URLFailure)
Description	ans..1024	M	Further details in the event that payment is rejected. Please do not use the Description but the Code parameter for the transaction status analysis!
Code	an8	M	Error code according to Paygate Response Codes (A4 Error codes)
MAC	an64	M	Hash Message Authentication Code (HMAC) with SHA-256 algorithm. Details can be found here: <ul style="list-style-type: none"> • HMAC Authentication (Request) • HMAC Authentication (Notify)
UserData	ans..1024	O	If specified at request, Paygate forwards the parameter with the payment result to the shop.
TransactionID	ans..32	M	Unique transaction number with PPRO
CodeExt	ans..256	O	External error code
ErrorText	ans..256	O	Description of external error code

Plain	ans..50	O	A single value to be set by the merchant to return some information unencrypted in response/notify, e.g. the MID. "Plain"-parameter is part of encrypted "Data" in Computop Paygate and therefore protected against manipulation.
Custom	ans..1024	O	"Custom"-parameter is added to the request data before encryption and is part of encrypted "Data" in Computop Paygate request. By this they are protected against manipulation by a consumer. The Custom-value is added to the Computop Paygate response in plain text and the " " is replaced by a "&". By this you can put a single value into Custom-parameter and get multiple key-value-pairs back in response for your own purpose. Please find a samples here: Custom

Key	Format	CND	Description	Beschreibung
PayID	an32	M	ID assigned by Paygate for the payment, e.g. for referencing in batch files as well as for capture or credit request.	Vom Paygate vergebene ID für die Zahlung; z.B. zur Referenzierung in Batch-Dateien sowie im Capture- oder Credit-Request.

Key	Format	CND	Description	Beschreibung
XID	an32	M	ID for all single transactions (authorisation, capture, credit note) for one payment assigned by Paygate	Vom Paygate vergebene ID für alle einzelnen Transaktionen (Autorisierung, Buchung, Gutschrift), die für eine Zahlung durchgeführt werden

Key	Format	CND	Description	Beschreibung
TransID	ans..64	M	TransactionID provided by you which should be unique for each payment	Ihre eigene TransaktionsID, die für jede Zahlung eindeutig sein muss

Key	Format	CND	Description	Beschreibung
RefNr	an..13	C	Supplementary transaction identifier. Only the following characters are allowed: <ul style="list-style-type: none"> Alphabetical letters [A-Za-z] (from A to Z lower or upper case) Numbers [0-9] (from 0 to 9) Notice: If RefNr is not present, TransID will be used instead. Therefore in such case TransID should meet format and length of RefNr.	Ergänzende Transaktionskennung. Es sind nur folgende Zeichen erlaubt: <ul style="list-style-type: none"> Alphabetische Buchstaben [A-Za-z] (von A bis Z Klein- oder Großbuchstaben) Zahlen [0-9] (von 0 bis 9) Hinweis: Wenn RefNr nicht vorhanden ist, wird stattdessen TransID verwendet. Daher sollte die TransID in diesem Fall Format und Länge der RefNr entsprechen.

Key	Format	CND	Description	Beschreibung
Status	a..50	M	OK or AUTHORIZE_REQUEST (URLSuccess) as well as FAILED (URLFailure)	OK oder AUTHORIZE_REQUEST (URLSuccess) sowie FAILED (URLFailure)

Key	Format	CND	Description	Beschreibung
Description	ans..1024	M	Further details in the event that payment is rejected. Please do not use the Description but the Code parameter for the transaction status analysis!	Nähere Beschreibung bei Ablehnung der Zahlung. Bitte nutzen Sie nicht den Parameter Description , sondern Code für die Auswertung des Transaktionsstatus!

Key	Format	CND	Description	Beschreibung
Code	an8	M	Error code according to Paygate Response Codes (A4 Error codes)	Fehlercode gemäß Paygate Antwort-Codes (A4 Fehlercodes)

Key	Format	CND	Description	Beschreibung
MAC	an64	M	Hash Message Authentication Code (HMAC) with SHA-256 algorithm. Details can be found here: <ul style="list-style-type: none"> HMAC Authentication (Request) HMAC Authentication (Notify) 	Hash Message Authentication Code (HMAC) mit SHA-256-Algorithmus. Details finden Sie hier: <ul style="list-style-type: none"> HMAC-Authentisierung (Anfrage) HMAC-Authentisierung (Notify)

Key	Format	CND	Description	Beschreibung
-----	--------	-----	-------------	--------------

UserData	ans..1024	O	If specified at request, Paygate forwards the parameter with the payment result to the shop.	Wenn beim Aufruf angegeben, übergibt das Paygate die Parameter mit dem Zahlungsergebnis an den Shop.
----------	-----------	---	--	--

Key	Format	CND	Description	Beschreibung
TransactionID	ans..32	M	Unique transaction number with PPRO	Eindeutige Transaktionsnummer bei PPRO
CodeExt	ans..256	O	External error code	Externer Fehlercode
ErrorText	ans..256	O	Description of external error code	Beschreibung des externen Fehlercodes

Key	Format	CND	Description	Beschreibung
Plain	ans..50	O	A single value to be set by the merchant to return some information unencrypted in response/notify, e.g. the MID. "Plain"-parameter is part of encrypted "Data" in Computop Paygate and therefore protected against manipulation.	Ein einzelner Wert, der von Ihnen gesetzt werden kann, um Informationen wieder unverschlüsselt in der Antwort bzw. im Notify zurückzugeben, z.B. die MID. Da der "Plain"-Parameter Teil des verschlüsselten "Data" im Computop Paygate ist, ist dieser vor Manipulationen geschützt.

Key	Format	CND	Description	Beschreibung
Custom	ans..1024	O	"Custom"-parameter is added to the request data before encryption and is part of encrypted "Data" in Computop Paygate request. By this they are protected against manipulation by a consumer. The Custom-value is added to the Computop Paygate response in plain text and the " " is replaced by a "&". By this you can put a single value into Custom-parameter and get multiple key-value-pairs back in response for your own purpose. Please find a samples here: Custom	Der "Custom"-Parameter wird vor der Verschlüsselung an den Aufruf angehängt und ist Teil des verschlüsselten "Data" im Computop Paygate Aufruf. Dadurch ist der Wert gegen Manipulation geschützt. Der Custom-Wert wird dann in Klartext an die Computop Paygate-Antwort angehängt und dabei wird " " durch "&" ersetzt. Dadurch können Sie einen Custom-Wert übergeben und bekommen mehrere Key-Value-Paare zu Ihrer eigenen Verwendung in der Antwort zurück. Hier finden Sie ein Beispiel: Custom

Return parameters for URLSuccess, URLFailure or URLNotify with Cetelem Presto

Credit with reference

Credits (refunds) are possible via a Server-to-Server connection. For a Credit with reference to a capture the amount of the Credit is limited to the amount of the previous capture. To carry out a credit with a reference transaction, please use the following URL:

<https://www.computop-paygate.com/credit.aspx>

Notice: For security reasons, Computop Paygate rejects all payment requests with formatting errors. Therefore, please use the correct data type for each parameter.

The following table describes the [encrypted payment request parameters](#):

Key	Format	CND	Description
MerchantID	ans..30	M	MerchantID, assigned by Computop. Additionally this parameter has to be passed in plain language too.
PayID	an32	M	ID assigned by Paygate for the payment to be credited
TransID	ans..64	M	TransactionID provided by you which should be unique for each payment
Amount	n..10	M	Amount in the smallest currency unit (e.g. EUR Cent). Please contact the Computop Helpdesk , if you want to capture amounts <100 (smallest currency unit).
Currency	a3	M	Currency, three digits DIN / ISO 4217, e.g. EUR, USD, GBP. Please find an overview here: A1 Currency table
MAC	an64	M	Hash Message Authentication Code (HMAC) with SHA-256 algorithm. Details can be found here: <ul style="list-style-type: none"> HMAC Authentication (Request) HMAC Authentication (Notify)

ReqID	ans..32	O	<p>To avoid double payments or actions (e.g. by ETM), enter an alphanumeric value which identifies your transaction and may be assigned only once. If the transaction or action is submitted again with the same ReqID, Computop Paygate will not carry out the payment or new action, but will just return the status of the original transaction or action.</p> <p>Please note that the Computop Paygate must have a finalized transaction status for the first initial action (authentication /authorisation). This does not apply to 3-D Secure authentications that are terminated by a timeout. The 3-D Secure Timeout status does not count as a completed status in which the ReqID functionality on Paygate does not take effect. Submissions with identical ReqID for an open status will be processed regularly.</p> <p>Notice: Please note that a ReqID is only valid for 12 month, then it gets deleted at the Paygate.</p>
-------	---------	---	---

Key	Format	CND	Description	Beschreibung
PayID	an32	M	ID assigned by Paygate for the payment to be credited	Vom Paygate vergebene ID für die gutzuschreibende Zahlung

Key	Format	CND	Description	Beschreibung
TransID	ans..64	M	TransactionID provided by you which should be unique for each payment	Ihre eigene TransaktionsID, die für jede Zahlung eindeutig sein muss

Key	Format	CND	Description	Beschreibung
Amount	n..10	M	Amount in the smallest currency unit (e.g. EUR Cent). Please contact the Computop Helpdesk , if you want to capture amounts <100 (smallest currency unit).	Betrag in der kleinsten Währungseinheit (z.B. EUR Cent). Bitte wenden Sie sich an den Computop Helpdesk , wenn Sie Beträge < 100 (kleinste Währungseinheit) buchen möchten.


Key	Format	CND	Description	Beschreibung
Currency	a3	M	Currency, three digits DIN / ISO 4217, e.g. EUR, USD, GBP. Please find an overview here: A1 Currency table	Währung, drei Zeichen DIN / ISO 4217, z.B. EUR, USD, GBP. Hier eine Übersicht: A1 Währungstabelle


Key	Format	CND	Description	Beschreibung
MAC	an64	M	<p>Hash Message Authentication Code (HMAC) with SHA-256 algorithm. Details can be found here:</p> <ul style="list-style-type: none"> HMAC Authentication (Request) HMAC Authentication (Notify) 	<p>Hash Message Authentication Code (HMAC) mit SHA-256-Algorithmus. Details finden Sie hier:</p> <ul style="list-style-type: none"> HMAC-Authentisierung (Anfrage) HMAC-Authentisierung (Notify)

Key	Format	CND	Description	Beschreibung
ReqID	ans..32	O	<p>To avoid double payments or actions (e.g. by ETM), enter an alphanumeric value which identifies your transaction and may be assigned only once. If the transaction or action is submitted again with the same ReqID, Computop Paygate will not carry out the payment or new action, but will just return the status of the original transaction or action.</p> <p>Please note that the Computop Paygate must have a finalized transaction status for the first initial action (authentication /authorisation). This does not apply to 3-D Secure authentications that are terminated by a timeout. The 3-D Secure Timeout status does not count as a completed status in which the ReqID functionality on Paygate does not take effect. Submissions with identical ReqID for an open status will be processed regularly.</p> <p>Notice: Please note that a ReqID is only valid for 12 month, then it gets deleted at the Paygate.</p>	<p>Um Doppelzahlungen (z.B. durch ETM) zu vermeiden, übergeben Sie einen alphanumerischen Wert, der Ihre Transaktion oder Aktion identifiziert und nur einmal vergeben werden darf. Falls die Transaktion oder Aktion mit derselben ReqID erneut eingereicht wird, führt das Computop Paygate keine Zahlung oder weitere Aktion aus, sondern gibt nur den Status der ursprünglichen Transaktion oder Aktion zurück.</p> <p>Bitte beachten Sie, dass das Computop Paygate für die erste initiale Aktion (Authentifizierung/Autorisierung) einen abgeschlossenen Transaktionsstatus haben muss. Dies gilt nicht für 3-D Secure Authentifizierungen, die durch einen Timeout beendet werden. Der Status 3-D Secure Timeout gilt nicht als abgeschlossener Status, bei dem ReqID-Funktionalität am Paygate nicht greift. Einreichungen mit identischer ReqID auf einen offenen Status werden regulär verarbeitet.</p> <p>Hinweis: Bitte beachten Sie, dass eine ReqID nur 12 Monate gültig ist, danach wird sie vom Paygate gelöscht.</p>

Parameters for credit payments with Cetelem Presto via socket connection

The following table describes the result parameters with which the Computop Paygate responds to your system

 pls. be prepared to receive additional parameters at any time and do not check the order of parameters

 the key (e.g. MerchantId, RefNr) should not be checked case-sensitive

Key	Format	CND	Description
-----	--------	-----	-------------

mid	ans..30	M	MerchantID, assigned by Computop
PayID	an32	M	ID assigned by Paygate for the payment, e.g. for referencing in batch files as well as for capture or credit request.
XID	an32	M	ID for all single transactions (authorisation, capture, credit note) for one payment assigned by Paygate
TransID	ans..64	M	TransactionID provided by you which should be unique for each payment
Status	a..50	M	OK (URLSuccess) or FAILED (URLFailure)
Description	ans..1024	M	Further details in the event that payment is rejected. Please do not use the Description but the Code parameter for the transaction status analysis!
Code	an8	M	Error code according to Paygate Response Codes (A4 Error codes)

Key	Format	CND	Description	Beschreibung
PayID	an32	M	ID assigned by Paygate for the payment, e.g. for referencing in batch files as well as for capture or credit request.	Vom Paygate vergebene ID für die Zahlung; z.B. zur Referenzierung in Batch-Dateien sowie im Capture- oder Credit-Request.

Key	Format	CND	Description	Beschreibung
XID	an32	M	ID for all single transactions (authorisation, capture, credit note) for one payment assigned by Paygate	Vom Paygate vergebene ID für alle einzelnen Transaktionen (Autorisierung, Buchung, Gutschrift), die für eine Zahlung durchgeführt werden

Key	Format	CND	Description	Beschreibung
TransID	ans..64	M	TransactionID provided by you which should be unique for each payment	Ihre eigene TransaktionsID, die für jede Zahlung eindeutig sein muss

Key	Format	CND	Description	Beschreibung
Status	a..50	M	OK (URLSuccess) or FAILED (URLFailure)	OK (URLSuccess) oder FAILED (URLFailure)

Key	Format	CND	Description	Beschreibung
Description	ans..1024	M	Further details in the event that payment is rejected. Please do not use the Description but the Code parameter for the transaction status analysis!	Nähere Beschreibung bei Ablehnung der Zahlung. Bitte nutzen Sie nicht den Parameter Description , sondern Code für die Auswertung des Transaktionsstatus!

Key	Format	CND	Description	Beschreibung
Code	an8	M	Error code according to Paygate Response Codes (A4 Error codes)	Fehlercode gemäß Paygate Antwort-Codes (A4 Fehlercodes)

Response parameters for credit payments with Cetelem Presto via socket connection