

threeDSData:response

Data Elements

- [Data Elements](#)
- [Schema](#)

	Key	Format	CND	Description
1	authenticationStatus	boolean	M	Indicates whether a cardholder has been authenticated or not
2	acsProtocolVersion	string	M	The protocol version used for authentication
3	authenticationValue	string	C	Payment system specific value to provide proof of authentication
4	cavvAlgorithm	string	C	3DS 2.0 only with Cartes Bancaires
5	eci	string	M	Payment system specific Electronic Commerce Indicator
6	threeDSServerTransID	string	C	3DS 2.0 only. Computop Paygate PayID in canonical format as specified in IETF RFC 4122.
	acsXID	string	C	3DS 1.0 only. ACS assigned transaction ID.

Schema

 BASEURL= <https://www.computop-paygate.com/schemas>

```
{
  "$schema": "http://json-schema.org/draft-07/schema#",
  "$id": "BASEURL/threedSDData_response.json",
  "title": "3DS Data",
  "description": "3DS Data",
  "type": "object",
  "properties": {
    "authenticationStatus": {
      "type": "boolean"
    },
    "acsProtocolVersion": {
      "minLength": 5,
      "maxLength": 8
    },
    "authenticationValue": {
      "type": "string",
      "maxLength": 28
    },
    "cavvAlgorithm": {
      "type": "string",
      "minLength": 1,
      "maxLength": 1
    },
    "eci": {
      "type": "string",
      "minLength": 2,
      "maxLength": 2
    },
    "threeDSServerTransID": {
      "type": "string",
      "maxLength": 36
    },
    "ACSXID": {
      "type": "string",
      "maxLength": 40
    }
  },
  "additionalProperties": false,
  "required": ["authenticationStatus", "acsProtocolVersion", "eci"]
}
```