

Status

i Note: The exact format depends on the paymethod. Please use the format of the paymethod you want to implement.

i Hinweis: Das genaue Format hängt von der Zahlart ab. Bitte verwenden Sie das Format der Zahlart, die Sie implementieren möchten.

Status

Key	Format	CND	Description	Beschreibung
Status	a..50	M	OK or AUTHORIZED (URLSuccess) as well as FAILED (URLFailure)	OK oder AUTHORIZED (URLSuccess) sowie FAILED (URLFailure)

Status_REST

Key	REST	Format	CND	Description	Beschreibung
Status	"status": "OK" "status": "AUTHORIZED" "status": "FAILED"	a..50	M	OK or AUTHORIZED (URLSuccess) as well as FAILED (URLFailure)	OK oder AUTHORIZED (URLSuccess) sowie FAILED (URLFailure)

Status_OK_FAILED

Key	Format	CND	Description	Beschreibung
Status	a..50	M	OK (URLSuccess) or FAILED (URLFailure)	OK (URLSuccess) oder FAILED (URLFailure)

Status_OK_FAILED_REST

Key	REST	Format	CND	Description	Beschreibung
Status	"status": "OK" "status": "FAILED"	a..50	M	OK (URLSuccess) or FAILED (URLFailure)	OK (URLSuccess) oder FAILED (URLFailure)

Status_OK_PENDING

Key	Format	CND	Description	Beschreibung
Status	a..50	M	OK or PENDING (URLSuccess) as well as FAILED (URLFailure)	OK oder PENDING (URLSuccess) sowie FAILED (URLFailure)

Status_OK_PENDING_REST

Key	REST	Format	CND	Description	Beschreibung
Status	"status": "OK" "status": "PENDING" "status": "FAILED"	a..50	M	OK or PENDING (URLSuccess) as well as FAILED (URLFailure)	OK oder PENDING (URLSuccess) sowie FAILED (URLFailure)

Status_OK_AUTHORIZE_REQUEST

Key	Format	CND	Description	Beschreibung
Status	a..50	M	OK or AUTHORIZE_REQUEST (URLSuccess) as well as FAILED (URLFailure)	OK oder AUTHORIZE_REQUEST (URLSuccess) sowie FAILED (URLFailure)

Status_OK_AUTHORIZE_REQUEST_REST

Key	REST	Format	CND	Description	Beschreibung
Status	"status": "OK" "status": "AUTHORIZE_REQUEST" "status": "FAILED"	a..50	M	OK or AUTHORIZE_REQUEST (URLSuccess) as well as FAILED (URLFailure)	OK oder AUTHORIZE_REQUEST (URLSuccess) sowie FAILED (URLFailure)